

頁數:1 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 32鄰建國路510號1樓

報告編號: BA/2011/70867 報告日期: 2011年7月29日

以下測試之樣品係由供應廠商所提供及確認:

產品名稱:

昇湧牛樟芝子實體

申請廠商:

昇湧生物科技有限公司

生產或供應廠商:

昇湧生物科技有限公司

原產國/原產地:

台灣

送樣日期:

2011年07月20日

測試日期:

2011年07月21日

委託測試項目:

有機氣農藥、有機磷農藥及 LC 87項農藥定量分析

測試方法:

本測試參考中華民國國家標準CNS 13570-2方法—食品中殘留農藥檢驗方法:多重殘留分析方法 (II)(88/08/04公告);衛生署公告食品中殘留農藥一多重殘留分析方法(三)(公告字號:署授食字第 0991904819號公告)及衛生署公告食品中殘留農藥一多重殘留分析方法(四)(公告字號:署授食字第 0991900925號公告)。以氣相層析串聯離子阱質譜儀(GC/MS/MS)及液相層析串聯質譜儀(LC/MS/MS)檢 測。

測試結果:

此份樣品共檢測305項農藥(詳附錄),均未檢出。

備註:1.本報告不得分離,分離使用無效。 2.檢測結果若夫於方法偵測極限則匯整上表中,本次檢測項目及方法偵測極限分别詳列於附錄中

Weber Lin, M.R./Manager Signed for and on behalf of

SGS TAIWAN Ltd

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 6 5



頁數:2 of 5

錄

報告編號: BA/2011/70867

報告日期: 2011年7月29日

單位:ppm(mg/kg) 測試項目及MDI 羅教毒:

序	別部見口		单位:ppm(mg CAS NO.	方法偵測極限	序號	測	试項目 CAS NO.		方法偵測極限
號	2 4 +14	2,4-D	94-75-7	0.02	41.	佈嘉信	Butocarboxim	34681-10-2	0.01
	_, _	3-keto Carbofuran	16709-30-1	0.01	42.	比達寧	Butralin	33629-47-9	0.05
	THE CONTRACT OF THE SHAPE AND THE STATE OF T	3-OH carbofuran	16655-82-6	0.01	43.	Cadusafos	Cadusafos	95465-99-9	0.05
		Acephate	30560-19-1	0.05	44.	四氯丹	Captafol	2425-06-1	0.05
	EX1X14	Acetamiprid	135410-20-7	0.01	45.	蓋普丹	Captan	133-06-2	0.01
	亞滅培		194992-44-4	0.05	46.	加保利	Carbaryl	63-25-2	0.01
	, 100100111	7 10010011101	15972-60-8	0.01	47.	貝芬替	Carbendazim	10605-21-7	0.01
	拉草	Aldicarh	116-06-3	0.01		加保扶	Carbofuran	1563-66-2	0.01
	得滅克	Aldicarb Aldicarb sulfone	1646-88-4	0.01	49.	加芬松	Carbophenothion	786-19-6	0.02
	10 0000	A CONTRACTOR OF THE PARTY OF TH	1646-87-3	0.01	50.	丁基加保扶	Carbosulfan	55285-14-8	0.01
	13 2272 - 1 01.35 1.5	Aldicarb sulfoxide	309-00-2	0.01	51.	乙基克繁草	Carfentrazone-ethyl	128639-02-1	0.05
	阿特靈	Aldrin	584-79-2	0.01	52.	加普胺	Carpropamid	104030-54-8	0.05
	亞烈寧	Allethrin		0.01	53.	璊離丹	Chinomethionat	2439-01-2	0.01
13.		Alpha-Cypermethrin		0.05		α-可氯丹	α-Chlordane	5103-71-9	0.01
14.	草殺淨	Ametryn	834-12-8	0.03		β-可氯丹	β-Chlordane	5103-74-2	0.01
15.	草脫淨	Atrazine	1912-24-9	Schiller Co. 110	56.	克凡派	Chlorfenapyr	122453-73-0	0.01
16.	Azaconazole	Azaconazole	60207-31-0	0.05	57.	氯芬松	Chlorfenvinphos	470-90-6	0.05
17.	谷速松	Azinphos-methyl	86-50-0	0.05	58.	克福隆	Chlorfluazuron	71422-67-8	0.03
18.	亞托敏	Azoxystrobin	131860-33-8		59.	克氯璊	Chloropropylate	5836-10-2	0.05
19.	本達樂	Benalaxyl	71626-11-4	0.01	60.	四氯異苯晴	Chlorothalonil	1897-45-6	0.01
20.	免敵克	Bendiocarb	22781-23-3	0.01		克普芬	Chlorpropham	101-21-3	0.05
21.	倍尼芬	Benfluralin	1861-40-1	0.01	61.	陶斯松	Chlorpyrifos	2921-88-2	0.01
22.	免扶克	Benfuracarb	82560-54-1	0.01	62.	甲基陶斯松	Chlorpyrifos-methyl		0.03
23.	Benoxacor	Benoxacor	98730-04-2	0.05	-		Chlorthiophos	60238-56-4	0.05
24.	本達隆	Bentazone	25057-89-0	0.01	64.	克硫松	Chlozolinate	84332-86-5	0.01
25.	佈生	Benthiazole	21564-17-0	0.05	65.			84496-56-0	0.05
26.	a-蟲必死	α-ВНС	319-84-6	0.01	66.		Clomeprop	210880-92-5	
27.	b-蟲必死	β-ВНС	319-85-7	0.01	67.	- 14 AVA - 144	Coumaphos	56-72-4	0.05
28.	d-蟲必死	δ-ΒΗС	319-86-8	0.02	68.	蠅毒磷	CPMC	3942-54-9	0.05
29.	必芬諾	Bifenox	42576-02-3	0.01	69.	益 必殺		21725-46-2	0.05
30.	畢芬寧	Bifenthrin	82657-04-3	70.00	70.		Cyanazine	13067-93-1	
31.	比多農	Bitertanol	55179-31-2		71.	施力松	Cyanofenphos	2636-26-2	0.05
32.	Bromobutide	Bromobutide	74712-19-9	0.05	72	氰乃松	Cyazofamid	120116-88-3	
33.	乙基溴磷松	Bromophos-ethyl	4824-78-6	0.03	73	賽座滅	Cyfluthrin	68359-37-5	
34.	甲基溴磷松	Bromophos-methy		0.03	74	The state of the state		122008-85-9	
35.	新殺璊	Bromopropylate	18181-80-1	0.02	75		Cyhalofop-butyl	91465-08-6	
36.	溴克座	Bromuconazole	116255-48-2	+	76		Cynarmothrin	52315-07-8	
37	. 必克蝨	Bufencarb	8065-36-9	0.05	77	賽滅寧	Cypermethrin	39515-40-7	
38	布瑞莫	Bupirimate	41483-43-6		78		Cyphenothrin	94361-06-5	50 SE SE
39	. 布芬淨	Buprofezin	69327-76-0	0.1	79		Cyproconazole	121552-61-2	
40		Butachlor	23184-66-9	0.01	80	. 賽普洛	Cyprodinil	121002-01-2	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions of Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within any jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's fi



頁數:3 of 5

報告編號: BA/2011/70867 報告日期: 2011年7月29日

單位:nnm(ma/ka) 测兴西日邓MDI 磨数主(编)。

序	/别武-只日		CAS NO.	方法偵測極限	序號	測試項目		CAS NO.	方法偵測極限
號 81.	2 4 DDE	o,p'-DDE	3424-82-6	0.03		依殺璊 Etoxazole		153233-91-1	0.05
		p,p'-DDD	72-54-8			223-760-2 1-27	Etrimfos	38260-54-7	0.05
		p,p'-DDE	72-55-9	0.01	123.	No. 61 Tel cardo per 1 1 1 1 1	Famoxadone	131807-57-3	0.05
_			50-29-3				Fenamiphos	22224-92-6	0.01
		p,p'-DDT Deltamethrin	52918-63-5	0.01			Fenarimol	60168-88-9	0.02
	213 11114 3	Demeton-S-methyl	919-86-8			1000 - 1000 - 1000	Fenazaquin	120928-09-8	0.01
	3777733 1-1	Diazinon	333-41-5	2 702 6			Fenbuconazole	114369-43-6	0.01
37.	大利松		1085-98-9	0.01			Fenchlorphos	299-84-3	0.05
	益發靈	Dichlorus	62-73-7	0.01		-1-7-0-1-	Fenitrothion	122-14-5	0.01
39.	二氯松	Dichlorvos	51338-27-3	0.05	130.		Fenobucarb	3766-81-2	0.01
	Diclofop-methyl	Diclofop-methyl	62865-36-5	0.05		芬硫克	Fenothiocarb	62850-32-2	0.05
	達滅淨	Diclomezine	99-30-9	0.03		芬殺草	Fenoxaprop-ethyl	66441-23-4	0.05
92.	大克爛	Dicloran	115-32-2	0.01			Fenpropathrin	39515-41-8	0.08
	大克璊	Dicofol		0.02	-1174	芬普福	Fenpropimorph	67564-91-4	0.05
94.	雙特松	Dicrotophos	141-66-2				Fenpyroximate	134098-61-6	0.01
95.	地特靈	Dieldrin	60-57-1	0.01		繁福松	Fensulfothion	115-90-2	0.05
96.	待克利	Difenoconazole	119446-68-3			芬殺松	Fenthion	55-38-9	0.02
97.	二福隆	Diflubenzuron	35367-38-5	0.01		芬 化利	Fenvalerate	51630-58-1	0.03
98.	Dimepiperate	Dimepiperate	61432-55-1	0.05		芬普尼	Fipronil	120068-37-3	0.001
99.	Dimethametryn	Dimethametryn	22936-75-0		_		Fipronil-sulfone	120068-36-2	N. Terrano
100.	汰草滅	Dimethenamid	87674-68-8	0.05	11			52756-25-9	0.05
101.	大滅松	Dimethoate	60-51-5	0.01			Flamprop-methyl Flazasulfuron	104040-78-0	100 201 2
102.	達滅芬	Dimethomorph	110488-70-5	14.225		伏速隆	Flonicamid	158062-67-0	
103.	·達克利	Diniconazole	83657-24-3			氟尼胺		229977-93-9	
104	達乃安	Dinitramine	29091-05-2	0.01	-	Fluacrypyrim	Fluacrypyrim	69806-50-4	0.05
105	達特南	Dinotefuran	165252-70-0		-	伏寄普	Fluazifop-butyl	79622-59-6	0.05
106	Diofenolan	Diofenolan	63837-33-2	0.05	-	扶吉胺	Fluazinam	79022-33-0	0.05
107	. 大芬滅	Diphenamid	957-51-7	0.01		護賽寧	Flucythrinate		0.05
108	. 二硫松	Disulfoton	298-04-4	0.01		. 護汰寧	Fludioxonil	131341-86-1	
109	. 普得松	Ditalimfos	5131-24-8	0.03		. 氟芬隆	Flufenoxuron	101463-69-8	
	. 達有龍	Diuron	330-54-1	0.04		. 氟氯比代謝物	Fluroxypyr-meptyl		
	. 護粒松	Edifenphos	17109-49-8	0.01		. 護矽得	Flusilazole	85509-19-9	
200.00	. 安殺番	Endosulfan	115-29-7	0.01		. 福多寧	Flutolanil	66332-96-5	-
	. 安殺番硫酸鹽	Endosulfan sulfate	1031-07-8	0.04		. 護汰芬	Flutriafol	76674-21-0	4
	. 安特靈	Endrin	72-20-8	0.01	_	. 福化利	Fluvalinate	102851-06-9	+
115	- 7.0	EPN	2104-64-5	0.01	_	. 福爾培	Folpet	133-07-3	0.04
	. 依普座	Epoxiconazole	133855-98-8	0.05		. 大福松	Fonofos	944-22-9	0.02
	. 益化利	Esfenvalerate	66230-04-4	0.02		福木松	Formothion	2540-82-1	0.03
	3. 愛殺松	Ethion	563-12-2	0.01	158	福賽絕	Fosthiazate	98886-44-3	0.04
). 曾伏松	Ethoprophos	13194-48-4	0.01	159). 甲基合氯氟	Gallant	69806-40-2	
120	A L DESCRIPTION	LtofenproX	80844-07-1	0.03	160). 合芬寧	Halfenprox	111872-58-3	0.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

the Company. 除非另有說明,此報告結果運到側訊之極的具具。平報日本配子公司音圖訂明,不可知识多数。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within any jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention of the limitation of the company is advitable to the limitation of the company is advised that information contained hereon reflect



頁數:4 of 5

報告編號: BA/2011/70867

報告日期: 2011年7月29日

測試項目及MDI 羅教去(繪):

單位:ppm(ma/ka)

序號			CAS NO.	方法偵測 極限	序號	測試項目		CAS NO.	方法偵測極限
	飛佈達	Heptachlor	76-44-8	0.01	201.	美文松	美文松 Mevinphos		0.02
162.	環氧飛佈達	Heptachlor epoxide	1024-57-3	0.01	202.	滅蟻樂	Mirex	002385-85-5	0.01
163.	飛達松	Heptenophos	23560-59-0	0.01	203.	稻得壯	Molinate	2212-67-1	0.01
164.	六氯苯	Hexachlorobenzene	118-74-1	0.02	204.	亞素靈	Monocrotophos	6923-22-4	0.02
165.	菲克利	Hexaconazole	79983-71-4	0.02	205.	邁克尼	Myclobutanil	88671-89-0	0.05
166.	六伏隆	Hexaflumuron	86479-06-3	0.05	206.	滅落脫	Napropamide	15299-99-7	0.01
167.	菲殺淨	Hexazinone	51235-04-2	0.05	207.	Nitrothal-isopropyl	Nitrothal-isopropyl	10552-74-6	0.05
168.	合賽多	Hexythiazox	78587-05-0	0.05	208.	Norflurazon	Norflurazon	27314-13-2	0.05
169.	易胺座	Imibenconazole	86598-92-7	0.05	209.	尼瑞莫	Nuarimol	63284-71-9	0.05
170.	益達胺	Imidacloprid	138261-41-3	0.01	210.	歐滅松	Omethoate	1113-02-6	0.05
171.	因得克	Indoxacarb	144171-61-9	0.01	211.	歐拉靈	Oryzalin	19044-88-3	0.05
172.	丙基喜樂松	Iprobenfos	26087-47-8	0.03	212.	樂滅草	Oxadiazon	19666-30-9	0.01
173.	依普同	Iprodione	36734-19-7	0.05	213.	毆殺斯	Oxadixyl	77732-09-3	0.05
174.	依殺松	Isazofos	42509-80-8	0.01	214.	歐殺滅	Oxamyl	23135-22-0	0.01
175.	Isocarbophos	Isocarbophos	24353-61-5	0.05	215.	嘉保信	Oxycarboxine	5259-88-1	0.01
176.	亞芬松	Isofenphos	25311-71-1	0.01	216.	氧化可氯丹	Oxychlordane	27304-13-8	0.05
77.	滅必蝨	Isoprocarb	2631-40-5	0.01	217.	復祿芬	Oxyfluorfen	42874-03-3	0.05
178.	亞賜圃	Isoprothiolane	50512-35-1	0.02	218.	巴克素	Paclobutrazol	76738-62-0	0.01
179.	加福松	Isoxathion	18854-01-8	0.02	219.	巴拉松代謝物	Paraoxon	311-45-5	0.05
180.	克收欣	Kresoxim-methyl	143390-89-0	0.01	220.	巴拉松	Parathion	56-38-2	0.01
181.	福賜松	Leptophos	21609-90-5	0.05	221.	甲基巴拉松	Parathion-methyl	298-00-0	0.01
182.	靈丹	Lindane	58-89-9	0.01	222.	平克座	Penconazole	66246-88-6	0.02
183.	理有龍	Linuron	330-55-2	0.01	223.	賓克隆	Pencycuron	66063-05-6	0.01
184.	祿芬隆	Lufenuron	103055-07-8	0.01	224.	施得圃	Pendimethalin	40487-42-1	0.01
185.	馬拉松	Malathion	121-75-5	0.01	225.	五氯苯胺	Pentachloroaniline	527-20-8	0.05
186.	滅加松	Mecarbam	2595-54-2	0.01	226.	百滅寧	Permethrin	52645-53-1	0.1
187.	滅芬草	Mefenacet	73250-68-7	0.01	227.	酚丁滅蝨	Phenothrin	26002-80-2	0.05
188.	美福松	Mephosfolan	950-10-7	0.02	228.	賽達松	Phenthoate	2597-03-7	0.02
189.	滅普寧	Mepronil	55814-41-0	0.01	229.	福瑞松	Phorate	298-02-2	0.01
190.	滅達樂	Metalaxyl	57837-19-1	0.01	230.	裕必松	Phosalone	2310-17-0	0.03
191.	滅克松	Methacrifos	62610-77-9	0.02	231.	益滅松	Phosmet	732-11-6	0.02
192.	達馬松	Methamidophos	10265-92-6	0.02	232.	福賜米松	Phosphamidon	13171-21-6	0.05
193.	滅大松	Methidathion	950-37-8	0.02	233.	熱必斯	Phthalide	27355-22-2	0.05
194.	滅賜克	Methiocarb	2032-65-7	0.01	234.	Picolinafen	Picolinafen	137641-05-5	0.05
195.	納乃得	Methomyl	16752-77-5	0.01	235.	Piperophos	Piperophos	24151-93-7	0.05
196.	Methoxychlor	Mcthoxychlor	72-13-5	0.05	236.	比加普	Pirimicarh	23103-98-2	0.01
197.	Methyl-pentachlorophenyl sulphide	Methyl-pentachlorophenyl sulphide	1825-19-0	0.05	237.	乙基亞特松	Pirimiphos-ethyl	23505-41-1	0.01
198.	莫多草	Metolachlor	51218-45-2	0.01	238.	甲基亞特松	Pirimiphos-methyl	29232-93-7	0.01
199.	治滅蝨	Metolcarb	1129-41-5	0.01	239.	普亞列寧	Prallethrin	23031-36-9	0.05
200.	滅必淨	Metribuzin	21087-64-9	0.05	240.	普拉草	Pretilachlor	51218-49-6	0.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 6 8



頁數:5 of 5

報告編號: BA/2011/70867

報告日期: 2011年7月29日

單位:ppm(mg/kg) 測試項月及MDI 羅 整 表 (繪):

測序 號	測試項目		CAS NO.	方法偵測極限	序號	測	試項目	CAS NO.	方法偵測極限
	撲克拉	Prochloraz	67747-09-5	0.03		得芬諾	Tebufenozide	112410-23-8	0.01
	撲滅寧	Procymidone	32809-16-8	0.05	275.	得芬瑞	Tebufenpyrad	119168-77-3	0.01
	佈飛松	Profenofos	41198-08-7	0.02	276.	得匍隆	Tebuthiuron	34014-18-1	0.05
	普滅克	Promecarb	2631-37-0	0.01	277.	Tecnazene	Tecnazene	117-18-0	0.05
	Prometryn	Prometryn	7287-19-6	0.05	278.	得福隆	Teflubenzuron	83121-18-0	0.01
	雷蒙得	Propachlor	1918-16-7	0.05	279.	托福松	Terbufos	13071-79-9	0.01
	除草靈	Propanil	709-98-8	0.01	280.	樂本松	Tetrachlorvinphos	22248-79-9	0.05
	加護松	Propaphos	7292-16-2	0.01	281.	四克利	Tetraconazole	112281-77-3	0.01
	毆璊多	Propargite	2312-35-8	0.05	282.	得脫璊	Tetradifon	116-29-0	0.02
	普克利	Propiconazole	60207-90-1	0.03	283.	治滅寧	Tetramethrin	7696-12-0	0.01
	安丹	Propoxur	114-26-1	0.01	284.	欣克草	Thenylchlor	96491-05-3	0.05
	Propyzamide	Propyzamide	23950-58-5	0.05	285.	腐絕	Thiabendazole	148-79-8	0.01
	普硫松	Prothiofos	34643-46-4	0.01	286.	賽速安	Thiamethoxam	153719-23-4	0.01
	白克松	Pyraclofos	77458-01-6	0.03	287.	賽氟滅	Thifluzamide	130000-40-7	0.05
	百克敏	Pyraclostrobin	175013-18-0	0.05	288.	殺丹	Thiobencarb	28249-77-6	0.01
	白粉松	Pyrazophos	13457-18-6	0.05	289.	硫敵克	Thiodicarb	59669-26-0	0.01
	畢達本	Pyridaben	96489-71-3	0.05	290.	硫滅松	Thiometon	640-15-3	0.05
11 11 11 11 11	必芬松	Pyridaphenthion	119-12-0	0.1	291.	脫克松	Tolclofos-methyl	57018-04-9	0.05
	比芬諾	Pyrifenox	88283-41-4	0.03	292.	三泰芬	Triadimefon	43121-43-3	0.01
260.	派美尼	Pyrimethanil	53112-28-0	0.05	293.	三泰隆	Triadimenol	55219-65-3	0.05
261.	畢汰芬	Pyrimidifen	105779-78-0	0.08	294.	Tri-allate	Tri-allate	2303-17-5	0.05
	百利普芬	Pyriproxyfen	95737-68-1	0.01	295.	三落松	Triazophos	24017-47-8	0.02
	百快隆	Pyroquilon	57369-32-1	0.01	296.	Tribufos	Tribufos	78-48-8	0.05
	拜裕松	Quinalphos	13593-03-8	0.02	297.	三氯松	Trichlorfon	52-68-6	0.05
	快諾芬	Quinoxyfen	124495-18-7	0.05	298.	三賽唑	Tricyclazole	41814-78-2	0.05
	五氯硝苯	Quintozene	82-68-8	0.02	299.	三氟敏	Trifloxystrobin	141517-21-7	0.01
	快伏草	Quizalofop-ethyl	76578-14-8	0.01	300.	賽福座	Triflumizole	99387-89-0	0.02
	魚藤精	Rotenone	83-79-4	0.05	301.	三福林	Trifluralin	1582-09-8	0.01
	殺力松	Salithion	3811-49-2	0.02	302.	單克素	Uniconazole	83657-22-1	0.05
	矽護芬	Silafluofen	105024-66-6	0.05	303.	繁米松	Vamidothion	2275-23-2	0.05
	草滅淨	Simazine	122-34-9	0.05	304.	免克寧	Vinclozolin	50471-44-8	0.01
	賜諾殺	Spinosad	168316-95-8	0.05	305.	滅克蝨	XMC	2655-14-3	0.01
	得克利	Tebuconazole	107534-96-3	0.01					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 6 9



報告編號:

BA/2011/70867-1

日期: 2011年07月29日

頁數:1 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 3 2 鄰 建國路 5 1 0 號 1 樓

以下測試之樣品係由供應廠商所提供及確認:

產品名稱:

昇湧牛樟芝子實體

申請廠商:

昇湧生物科技有限公司

生產或供應廠商:

昇湧生物科技有限公司

原產國:

台灣

送樣日期:

2011年07月20日

測試日期:

2011年07月21日

委託測試項目:

224項常見西藥成份定性分析

測試方法:

本測試參考行政院衛生署藥物食品檢驗局調查研究年報. 23:136-148 2005,以及Journal of Pharmaceutical and Biomedical Analysis Volume 40, Issue 2, 13 February 2006,

Pages 305-311,以液相層析質譜儀(LC/MS)檢測。

測試結果:

道

此份樣品共檢測224項常見西藥成份,均未檢出

備註:1.本報告不得分離,分離使用無效。

2.檢測結果若大於方法偵測極限則匯整上表中,本次檢測項目及方法偵測極限分别詳列於附錄中。

Weber Lin, M.R./Manager

Signed for and on behalf of SGS TAIWAN Ltd.

MAWIA

有规则

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 0



報告編號:

BA/2011/70867-1

日期: 2011年07月29日

頁數:2 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 32鄰建國路510號1樓

錄

測試項目及MDL匯整表:

單位:ppm(mg/kg)

測試項目	類别	方法偵測極限	測試項目	類别	方法偵測極限
Digitoxin	心臟血管類用藥	100	Sulfadimethoxine	抗生素類	10
Dipyridamole	心臟血管類用藥	10	Sulfamerazine	抗生素類	10
Nylidrin	心臟血管類用藥	10	Sulfamethazine	抗生素類	10
Papaverine	心臟血管類用藥	100	Sulfamethizole	抗生素類	100
Aminophylline	支氣管擴張劑	100	Sulfamethoxazole	抗生素類	10
Theophylline	支氣管擴張劑	100	Sulfamethoxypyridazine	抗生素類	10
Clenbuterol	支氣管擴張劑	10	Sulfanilamide	抗生素類	100
Dyphylline	支氣管擴張劑	100	Sulfathiazole	抗生素類	10
Chlormezanone	肌肉鬆弛劑	20	Sulfisoxazole	抗生素類	100
Chlorzoxazone	肌肉鬆弛劑	10	Terbinafine	抗生素類	10
Orphenadrine	肌肉鬆弛劑	10	Tinidazole	抗生素類	10
Carisoprodol	肌肉鬆弛劑	10	Tetracycline	抗生素類	20
Benzocaine	局部麻醉類	50	Trimethoprim	抗生素類	10
Dibucaine	局部麻醉類	10	Benzathine-benzylpenicillin	抗生素類	250
Diclofenac diethyl salt	局部麻醉類	30	Clindamycin phosphate	抗生素類	20
Lidocaine	局部麻醉類	10	Cloxacillin Sodium	抗生素類	20
Procaine	局部麻醉類	10	Chlortetracycline	抗生素類	20
Tetracaine	局部麻醉類	10	Dimetridazole	抗生素類	100
Econazole	抗生素類	10	Enrofloxacin	抗生素類	10
Griseofulvin	抗生素類	10	Lincomycin	抗生素類	10
Lomefloxacin	抗生素類	10	Difloxacin	抗生素類	10
Ketoconazole	抗生素類	20	Ofloxacin	抗生素類	10
Metronidazole	抗生素類	10	Oxytetracycline (OTC)	抗生素類	20
Nalidixic acid	抗生素類	10	Sulfisomidine	抗生素類	10
Minocycline	抗生素類	20	Santonin	抗生素類	50
Quinine	抗生素類	10	Ampicillin	抗生素類	20
Sulfaquinoxaline	抗生素類	20	Amoxicillin	抗生素類	200
Sulfamonomethoxine	抗生素類	20	Clindamycin	抗生素類	10
Sulfadiazine	抗生素類	20	Ceftriaxone	抗生素類	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 1



報告編號:

BA/2011/70867-1

日期: 2011年07月29日

頁數:3 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 3 2 鄰 建國路 5 1 0 號 1 樓

錄

測試項目及MDL匯整表:

單位:ppm(mg/kg)

測試項目	類别	方法偵測極限	測試項目	類别	方法偵測極限
Doxycycline	抗生素類	20	Xanthinol Niacinate	降血脂用藥	10
Erythromycin	抗生素類	10	Atenolol	降血壓用藥	10
Rifampin	抗生素類	10	Hydralazine	降血壓用藥	100
Cephradine	抗生素類	50	Minoxidil	降血壓用藥	20
Chloramphenicol	抗生素類	10	Nifedipine	降血壓用藥	10
Nitrofurantoin	抗生素類	100	Propranolol	降血壓用藥	10
Brompheniramine	抗組織胺類	10	Reserpine	降血壓用藥	10
Carbinoxamine	抗組織胺類	10	Timolol Maleate	降血壓用藥	10
Chlorpheniramine	抗組織胺類	10	Methyldopa	降血壓用藥	100
Diphenhydramine	抗組織胺類	10	Methamphetamine	神經興奮劑類	10
Terfenadine	抗組織胺類	10	Morphine	神經興奮劑類	100
Cyproheptadine	抗組織胺類	10	Pentazocine	神經興奮劑類	10
Cetirizine 2HCI	抗組織胺類	10	Phenylephrine	神經興奮劑類	100
Chlorothiazide	泌尿系統用藥	10	Strychnine	神經興奮劑類	10
Flavoxate	泌尿系統用藥	10	Theobromine	神經興奮劑類	50
Furosemide	泌尿系統用藥	10	Diethylstilbestrol	荷爾蒙類	200
Hydrochlorothiazide	泌尿系統用藥	500	Estriol	荷爾蒙類	100
Phenazopyridine	泌尿系統用藥	10	Estrone	荷爾蒙類	50
Oxybutynin	泌尿系統用藥	250	Ethisterone	荷爾蒙類	10
Sulfinpyrazone	泌尿系統用藥	10	Ethylestrenol	荷爾蒙類	500
Carbimazole	治甲狀腺機能缺陷	200	Fluoxymesterone	荷爾蒙類	10
Liothyronine	治甲狀腺機能缺陷	10	Methandriol	荷爾蒙類	100
Methimazole	治甲狀腺機能缺陷	100	Mcthandrostcnolonc	荷爾蒙類	10
Bezafibrate	降血脂用藥	10	Methyltestosterone	荷爾蒙類	10
Clofibrate	降血脂用藥	50	Nandrolone	荷爾蒙類	200
Etofibrate	降血脂用藥	10	Norethisterone	荷爾蒙類	10
Fenofibrate	降血脂用藥	10	Oxymetholone	荷爾蒙類	100
Gemfibrozil	降血脂用藥	500	Progesterone	荷爾蒙類	10
Nicametate	降血脂用藥	50	Stanozolol	荷爾蒙類	10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 2



報告編號:

BA/2011/70867-1

日期: 2011年07月29日

頁數:4 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 32鄰建國路510號1樓

錄

測試項目及MDL匯整表:

單位:ppm(mg/kg)

測試項目	類别	方法偵測極限	測試項目	類别	方法偵測極限
Testosterone	荷爾蒙類	100	Ketoprofen	解熱止痛劑	20
Testosterone propionate	荷爾蒙類	10	Mefenamic acid	解熱止痛劑	50
Metoclopramide	腸胃類用藥	250	Naproxen	解熱止痛劑	50
Atropine	腸胃類用藥	10	Oxyphenbutazone	解熱止痛劑	10
Bisacodyl	腸胃類用藥	10	Phenylbutazone	解熱止痛劑	10
Butropium	腸胃類用藥	10	Piroxicam	解熱止痛劑	10
Camylofine	腸胃類用藥	10	Probenecid	解熱止痛劑	10
Cimetidine	腸胃類用藥	10	Salicylamide	解熱止痛劑	100
Dicyclomine	腸胃類用藥	10	Sulindac	解熱止痛劑	10
Glycopyrronium	腸胃類用藥	10	Acetophenetidin	解熱止痛劑	10
Homatropine	腸胃類用藥	10	Benzydamine	解熱止痛劑	10
Oxethazaine	腸胃類用藥	10	Bufexamac	解熱止痛劑	100
Oxyphencyclimine	腸胃類用藥	10	Fenbufen	解熱止痛劑	200
Phenolphthalein	腸胃類用藥	10	Flufenamic acid	解熱止痛劑	10
Pirenzepine	腸胃類用藥	10	Niflumic acid	解熱止痛劑	10
Propantheline	腸胃類用藥	10	Cinnarizine	精神用藥	10
Ranitidine	腸胃類用藥	10	Amitriptyline	精神用藥	10
Scopolamine	腸胃類用藥	10	Amphetamine	精神用藥	200
Acetaminophen	解熱止痛劑	100	Benzhexol	精神用藥	10
Allopurinol	解熱止痛劑	250	bromisovalum	精神用藥	200
Aminopyrine	解熱止痛劑	10	Chlorpromazine	精神用藥	10
Aspirin	解熱止痛劑	20	Cocaine	精神用藥	10
Benzbromarone	解熱止痛劑	20	Diazepam	精神用藥	10
Bucetin	解熱止痛劑	10	Diphenylhydantoin	精神用藥	100
Colchicine	解熱止痛劑	10	Fluoxetine	精神用藥	10
Ethoxybenzamide	解熱止痛劑	10	Lorazepam	精神用藥	25
Flurbiprofen	解熱止痛劑	250	Melatonin	精神用藥	20
Ibuprofen	解熱止痛劑	500	Mephenesin	精神用藥	100
Indomethacin	解熱止痛劑	10	Meprobamate	精神用藥	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 3



報告編號:

BA/2011/70867-1

日期: 2011年07月29日

頁數:5 of 5

昇湧生物科技有限公司

南投縣竹山鎮中山里 3 2 鄰 建國路 5 1 0 號 1 樓

測試項目及MDL匯整表:

單位:ppm(ma/ka)

測試項目	類别	方法偵測極限	測試項目	類别	方法偵測極限
Metharbital	精神用藥	200	Hydrocortisone	類固醇類	10
Phenobarbital	精神用藥	1000	Dexamethasone	類固醇類	50
Quetiapine	精神用藥	10	Triamcinolone	類固醇類	50
Primidone	精神用藥	20	Cortisone	類固醇類	10
Secobarbital	精神用藥	500	Betamethasone	類固醇類	10
Thioridazine	精神用藥	10	Methylprednisolone	類固醇類	20
Zolpidem	精神用藥	10	Prednisolone	類固醇類	20
Haloperidol	精神用藥	10	Prednisone	類固醇類	10
Sulpiride	精神用藥	10	Chloropretadalafil	其他	10
Cephalexin	精神用藥	20	Desmethylsildenafil	其他	100
Cefazolin	精神用藥	20	Desmethylacetildenafil	其他	10
Acetohexamide	糖尿病用藥	200	Diethylpropion	其他	10
Chlorpropamide	糖尿病用藥	10	Fenfluramine	其他	10
Glibenclamide	糖尿病用藥	10	Finasteride	其他	10
Metformin	糖尿病用藥	10	Hydroxyvardenafil	其他	10
Phenformin	糖尿病用藥	10	Imidazosagatriazinone	其他	10
Pioglitazone	糖尿病用藥	10	Norneosildenafil	其他	10
Tolazamide	糖尿病用藥	10	Phentermine	其他	10
Gliclazide	糖尿病用藥	20	Phentolamine	其他	10
Tolbutamide	糖尿病用藥	10	Phenylpropanolamine	其他	500
Bromhexine	鎮咳怯痰劑	10	Salicylic acid	其他	250
Carbetapentane	鎮咳怯痰劑	10	Yohimbine	其他	10
Dextromethorphan	鎮咳怯痰劑	10	-以下空白-		
Guaifenesin	鎮咳怯痰劑	10			
Ambroxol	鎮咳怯痰劑	10			
Cloperastine	鎮咳怯痰劑	10			
Eprazinone	鎮咳怯痰劑	250			
Phenacetin	鎮咳怯痰劑	10			

-END-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 4 TWA 5546874



昇湧生物科技有限公司

南投縣 竹山鎮 中山里 32鄰 建國路510號1樓

報告編號: BA/2011/70867-2

日期:

2011/07/29

頁數:

1 of 1

以下測試之樣品係由供應廠商所提供及確認:

產品名稱:

昇湧牛樟芝子實體

申請廠商:

昇湧生物科技有限公司

生產或供應廠商:

昇湧生物科技有限公司

原產國:

台灣

送樣日期:

2011年07月20日

測試日期:

2011年07月21日

測試結果:

NE&YOUNG

測試項目	B 測試方法 H I O	測試結果	檢測極限	單位
砷 (As)	本測試參考USEPA method 3051,以感應耦合電漿光譜	未檢出	2	ppm(mg/kg)
鉛 (Pb)	儀(ICP/OES) 分析。	未檢出	2	ppm(mg/kg)
鎘 (Cd)		未檢出	2	ppm(mg/kg)
汞 (Hg)		未檢出	2	ppm(mg/kg)

備註:1.本報告不得分離,分離使用無效。

2. 低於方法偵測極限之測定值以 "陰性"或" 未檢出 " 表示。

- END -

Weber Lin, M.R./Manager

Signed for and on behalf of

SGS TAIWAN Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 5 5 4 6 8 7 5 TWA 5546875